

Duplo

DP-X550

DuPrinter



WWW.DUPLOINTERNATIONAL.COM

DISCOVER A WORLD OF POSSIBILITIES.

SPECIFICATIONS

DP-X550	
Master Making Method	Thermal digital master making
Master Making Speed	18 seconds (A4 100%)
Resolution	Scan: 600dpi × 600dpi Print: 300dpi × 600dpi Master hole density: 600dpi × 600dpi
Document Size	Max: 297mm × 432mm
Paper Size	Max: 320mm × 450mm Min: 100mm × 148mm
Image Area	290mm × 423mm
Feeder / Stacker Capacity	1500 sheets (64gsm)
Paper Weight	45gsm - 210gsm
Operation Panel	Full color touch panel
Zoom	50 - 500%
Image Modes	Text, Photo, Text/Photo (2 types), Pencil, Screen (2 types), Graphic
Print Speed	45ppm - 135ppm (5 steps) +Top Speed 155ppm
Method of Ink Supply and Master Feeding and Ejecting	Fully automatic

Optional Equipment	ADF 64gsm - 128gsm A4 size drum Master box security lock Double Feed Detection Envelope/Postcard Feed kit Envelope/Postcard stacker Tape separator for A4 Various kits for long/narrow/heavy/ light paper Long paper mode max. 540mm LAN Ethernet (1000BASE-T/100BASE TX/10BASE-T) USB 2.0 Hi-Speed USB Flash drive Memory unit Cabinet
Compatible OS	Windows 8.1(32bit/64bit), Windows 10(32bit/64bit)
Power Consumption	100-240V, 50/60Hz, 2.5-1.1A Printing (Top speed) MAX. 240W Energy saving MIN. 5W
Dimensions - in use	W 1405mm × D 690mm × H 715mm
Dimensions - when packed	W 785mm × D 690mm × H 715mm
Net Weight	102kg



Duplo

DP-X850

DuPrinter



WWW.DUPLOINTERNATIONAL.COM

DISCOVER A WORLD OF POSSIBILITIES.

SPECIFICATIONS

DP-X850	
Master Making Method	Thermal digital master making
Master Making Speed	18 seconds (A4 100%)
Resolution	Scan: 600dpi × 600dpi Print: 600dpi × 600dpi Master hole density: 600dpi × 600dpi
Document Size	Max: 297mm × 432mm Min: 100mm × 148mm
Paper Size	Max: 320mm × 450mm Min: 100mm × 148mm
Image Area	290mm × 423mm
Feeder / Stacker Capacity	1500 sheets (64gsm)
Paper Weight	45gsm - 210gsm
Operation Panel	Full color touch panel
Zoom	50 - 500%
Image Modes	Text, Photo, Text/Photo (2 types), Pencil, Screen (2 types),Graphic
Print Speed	45ppm - 155ppm (5 steps) + Top Speed 200ppm
Method of Ink Supply and Master Feeding and Ejecting	Fully automatic

Optional Equipment	ADF-22 I/F LAN Network Tape Cluster Envelope Feeder Unit
Compatible OS	Windows 8.1(32bit/64bit), Windows 10(32bit/64bit)
Power Consumption	100V-240V, 50/60Hz, 2.5A-1.1A Printing (Top speed) MAX. 240W Energy saving MIN. 5W
Dimensions - in use	W 1405mm × D 690mm × H 715mm
Dimensions - when packed	W 785mm × D 690mm × H 715mm
Net Weight	102kg

